



Heavy Duty Lift Equipment





Heavy Duty Lift Equipment

4,000 Lb. (1814 KG)

3-in-1 Garage Jack

#980223

1 LIFTS CARS/TRUCKS



2 LIFTS MOTORCYCLES



3 LIFTS ATVs



Lifting Range:
5-1/2 in. - 17-1/2 in.

- Locking Safety Bar Holds Load Without the Need for Jack Stands.
- Tie Down Safety Loops for Securing Load.

- Cat® Heavy Duty Hydraulic Jacks Program Offers Unique Patented Solutions for the Heavy DIY'er and Professional Technician.
- Unique Features Add Convenience and Save Time.
- A Solution for Everyone from Lifting Motorcycles and ATVs to Cars and Trucks to Ride on Lawn Mowers.

QUAD 360° 4,500 Lb. (2041 KG) Multi-Purpose Garage Jack

#980472

-  **1**
360° XY MOBILITY
-  **2**
LIFTS CARS/TRUCKS
-  **3**
LIFTS MOTORCYCLES
-  **4**
LIFTS ATVs



Locking Safety Bar Holds Load - No Need for Jack Stands

Lifting Range:
5-1/2 in. - 18 in.

- Locking Safety Bar Holds Load Without the Need for Jack Stands.
- 360° XY Mobility.






3 Ton (2721 KG)

Low Profile Service Jack

#980233



Foot Pedal Pump



Dual Pump Fast Lift

Lifting Range:

3 in. - 19.5 in.

- 3 in. Low Profile Starting Height.
- Foot Pedal Pump for Quicker Start.
- Dual Pump Fast lift - 7 Pumps to Max Height.

3 Ton (2721 KG)

Ratcheting Double Locking Jack Stands

#980514



Double Locking Safety Pin



Lifting Range:

12.5 in. - 20.25 in.

- Heavy Duty Metal Base Plate.
- Self Locking Ratcheting Feature.
- Additional Double Locking Safety Pin Design for Added Safety.
- Ergonomic Comfort Grip Handles.





3 Ton (2721 KG) Hybrid Off Road Jack

#980519



Use as a normal
jack without
height extender



Lifting Range:
5.75 in. - 29 in.

- Perfect Jack for All Types of Trucks, Jeeps, SUVs, Lifted and Off Road Vehicles.
- Bottom Skid Plate Keeps Jack Stable and Level on Soft Surfaces Like Sand or Gravel.
- Extension Adapter Increases the Overall Max Lift Height by 7-3/4 in.
- Oversized Wheels for Easy Rolling on Any Surface.
- Hybrid Steel / Aluminum Construction.

3¹/₂ Ton (3175 KG)

Low Profile Pro Service Jack

#980534



Dual Pump Fast Lift



Parts Tray

Lifting Range:
3.75 in. - 21.5 in.

- Dual pump quick lift system that reaches max height in 7 pumps (unloaded).
- Durable and stylish frame design.
- Oversized square lift saddle.
- Curved front rollers for a smoother roll on hard surfaces.
- Parts tray to prevent losing hardware and lug nuts.

3.75 in. - 21.5 in.





4 Ton (3628.7 KG)

Truck / SUV Lift Jack

#980471



Pinch Weld Adapter Prevents Damage to Vehicle

ALL-in-ONE

Replaces



Integrated Patented Auto-Lock for Safety

Lifting Range:

11 in. - 22 in.

- Perfect for SUVs, Off-Road Vehicles, Construction Jobs, Framing & Floor Joists.
- 4 Height Adjustments for High Lift Trucks.
- Integrated Bottle Jack for Easy Lift.
- Heavy Duty Stamped Steel Frame.
- Extra Wide Base for Added Stability.
- Ergonomic Comfort Grip Handles.



High Lift

11 - 22 in.
(27.94 - 55.88 cm)





info@keeandgo.com | www.keeandgo.com