




**CAT® TOOLS
2020 LINE**



PRESSURE WASHERS


Disrupting the category with a leading brand, patented technology and consumer focused design.



CAT® PRESSURE WASHERS



CAT TE01-135



PEAK PRESSURE	135 Bar
FLOW RATE	454 L/h
GUN ASSEMBLY	Metal gun
TIPS	0°: red 15°: yellow 25°: green 40°: white
FOAM BLASTER	600 ml Foam Blaster Bottle
POWER CORD	5 m
PRESSURE HOSE	Rubber hose length 5m
MOTOR	Universal Motor
PUMP	5-piston Pump
GROSS WEIGHT	25 Pounds
BOX DIMENSIONS	560*380*380 mm
LOADING CAPACITY	882 units (40' HQ) 756 units (40' Std) 540 units (20' Std)
NINGBO LEAD TIME	45 days

CAT® PRESSURE WASHERS



CAT TE02-160



PEAK PRESSURE	160 Bar
FLOW RATE	454 L/h
GUN ASSEMBLY	Metal gun
TIPS	0°: red 15°: yellow 25°: green 40°: white
FOAM BLASTER	500 ml Foam Blaster Bottle
POWER CORD	Cord length:5m
PRESSURE HOSE	Rubber hose length 5m
MOTOR	Universal Motor
PUMP	5-piston Pump
GROSS WEIGHT	38.5 Pounds
BOX DIMENSIONS	405*365*685 mm
LOADING CAPACITY	650 units (40' HQ) 522 units (40' Std) 252 units (20' Std)
NINGBO LEAD TIME	45 days

CAT® PRESSURE WASHERS



CAT TG01-175



- DETERGENT TANK**
- Volume: 0.32/1.2 gal/litre
 - Plastic

ACCESSIBLE NOZZLES

- Standard soap nozzle
- 0°, 25°

HIGH-PRESSURE HOSE

- PVC
- 25 feet

	2500
PEAK PRESSURE	175 bar
FLOW RATE	454 L/h
CHOKE	Manual
TIPS	0°: red 25°: green Soap
DETERGENT TANK	1,2L
PRESSURE HOSE	7.62 PVC
MOTOR	150 cc
PUMP	Axial Pump
GROSS WEIGHT	53.0 Pounds
BOX DIMENSIONS	455*455*650 mm
LOADING CAPACITY	500 (40HQ) 375 (40Std) 180 (20Std)
FACTORY LEAD TIME	45 days

CAT® PRESSURE WASHERS



CAT TG02-195



LANCE/WAND
• Length: 21/533 inches/mm
• Metal

WHEELS
• Rubber/Plastic Rim

PEAK PRESSURE	195 bar
FLOW RATE	544 L/h
CHOKE	Manual
TIPS	0°: red 15°: yellow 25°: green 40°: white Soap
DETERGENT TANK	3.5L
PRESSURE HOSE	7.62 PVC
MOTOR	173 cc
PUMP	Axial Pump
GROSS WEIGHT	69.5 Pounds
BOX DIMENSIONS	565*425*670 mm
LOADING CAPACITY	420 (40HQ) 333 (40Std) 165 (20Std)
FACTORY LEAD TIME	45 days

CAT® PRESSURE WASHERS



CAT TG03-215



ACCESSIBLE NOZZLES

- Standard soap nozzle
- 0°, 25°

LANCE/WAND

- Length: 21/533 in/mm
- Metal

WHEELS

- Rubber/Plastic Rim
- 12*4"

PEAK PRESSURE	215 bar
FLOW RATE	634 L/h
CHOKE	Manual
TIPS	0°: red 15°: yellow 25°: green 40°: white Soap
DETERGENT TANK	3.5L
PRESSURE HOSE	9.14 PVC
MOTOR	212 cc
PUMP	Axial Pump
GROSS WEIGHT	75 Pounds
BOX DIMENSIONS	580*580*660 mm
LOADING CAPACITY	328 (40HQ) 243 (40Std) 120 (20Std)
FACTORY LEAD TIME	45 days

CAT® PRESSURE WASHERS



CAT TG04-290



WHEELS

- Rubber/Plastic Rim
- 13*5"

LANCE/WAND

- Length: 31/787 inches/mm
- Metal

PEAK PRESSURE	290 bar
FLOW RATE	909 L/h
CHOKE	Manual
TIPS	0°: red 15°: yellow 25°: green 40°: white Soap
DETERGENT TANK	N/A
PRESSURE HOSE	9.14 Rubber
MOTOR	420 cc
PUMP	Crank Pump
GROSS WEIGHT	165.3 Pounds
BOX DIMENSIONS	735*655*720 mm
LOADING CAPACITY	162 (40HQ) 162 (40Std) 081 (20Std)
FACTORY LEAD TIME	45 days

